

Dual color 2835 LED Tape Light 240 LED/M



◆ Product Description:

- High density CCT color Adjustable LED strip has 240pcs 2835 LEDs
- With 12mm Width, 2 Ounce copper
- Cut-able every 12LEDs & 50mm
- All soldering Pads are very large, allowing you to easily cut and reconnect
- DC24V constant voltage operation
- Both ends have 3pin bare wires for powering
- 3M tape attached on backside of FPC
- 5 meters per reel,
- Waterproof types IP20, IP65




◆ Product Datasheet

Product Number	S012240BC2PZ
Operating Voltage	DC24V
Power/m	19.2W
SMD Type	2835
LED Qty/m	120+120
Cutting Length	50mm/12LED
Color	2800-3200K+6000-6500K
Luminance/m	CW:900 WW:901lm
Material	FPC
Control	PWM
Beam Angle	120°
Size (mm)	5000x12mm
IP Rating	IP20/IP65
Operation Temperature	- 25 ~ 60°C


Remarks:

- 1.The above parameters were tested according to integrating sphere TM-30-15.
- 2.The output data is based on IP20 and one merter.
- 3.The data such as power etc, $\pm 15\%$ tolerance is normal.
- 4.IP protection process causes changes in size, CCT and luminous flux.

◆ Outline Dimension (unit: mm/in)



◆ Wiring diagram




◆ IP Rating



◆ Related products:



Power supply
LRS-350-24




Alum profile
1613




Dual Color LED Controller
V2+R7-1





◆ Installation method:



Can be cut



Tear off the 3M adhesive as need




Distortion(Wrong)


◆ Product packaging



Reel



Antistatic bag



Note: The parameters are subject to change without notice!

A1.25-03-04