

SMD2835 Refrigerator/Freezer Light opal



Product Description:

The light source adopts large chip 2835 light source, high brightness, long life, low attenuation;


Using high thermal conductivity aluminum substrate, the best heat dissipation effect;

The surface of the light box light is uniform, no dark area, stripes, light spots;

Product Datasheet

Product Number	B015012BB1LZ(FL)
Operating Voltage	DC12V
Power	1.1W/PCS
SMD Type	SMD 2835
LED Qty	12LEDs/PCS
CCT	3000K/4000K/6500K
Luminance	114lm/W
Beam Angle	120° (Opal)
Ra	90
Size (mm)	272x17x10mm
IP Rate	IP65
Operation Temperature	- 25 ~ 60°C

Outline Dimension (unit mm)



Note: The parameters are subject to change without notice!

SMD2835 Refrigerator/Freezer Light clear



Product Description:

The light source adopts large chip 2835 light source, high brightness, long life, low attenuation;

Using high thermal conductivity aluminum substrate, the best heat dissipation effect;


The surface of the light box light is uniform, no dark area, stripes, light spots;



Product Datasheet

Product Number	B015012BB1LZ(FL)
Operating Voltage	DC12V
Power	1.1W/PCS
SMD Type	SMD 2835
LED Qty	12LEDs/PCS
CCT	3000K/4000K/6500K
Luminance	119lm/W
Beam Angle	120° (Clear)
Ra	90
Size (mm)	272x17x10mm
IP Rate	IP65
Operation Temperature	- 25 ~ 60°C

Outline Dimension (unit mm)



Note: The parameters are subject to change without notice!

SMD2835 Refrigerator/Freezer Light clear



Product Description:

The light source adopts large chip 2835 light source, high brightness, long life, low attenuation;


Using high thermal conductivity aluminum substrate, the best heat dissipation effect;

The surface of the light box light is uniform, no dark area, stripes, light spots;

Product Datasheet

Product Number	B013012BB1LZ(FL)
Operating Voltage	DC12V
Power	1.1W/PCS
SMD Type	SMD 2835
LED Qty	12LEDs/PCS
CCT	3000K/4000K/6500K
Luminance	125lm/W
Beam Angle	120° (Clear)
Ra	90
Size (mm)	274x16x11mm
IP Rate	IP65
Operation Temperature	- 25 ~ 60°C

Outline Dimension (unit mm)



Note: The parameters are subject to change without notice!

SMD2835 Refrigerator/Freezer Light clear



Product Description:

The light source adopts large chip 2835 light source, high brightness, long life, low attenuation;


Using high thermal conductivity aluminum substrate, the best heat dissipation effect;

The surface of the light box light is uniform, no dark area, stripes, light spots;

Product Datasheet

Product Number	B023012BB1LZ(FL)
Operating Voltage	DC12V
Power	1.1W/PCS
SMD Type	SMD 2835
LED Qty	12LEDs/PCS
CCT	3000K/4000K/6500K
Luminance	123lm/W
Beam Angle	120° (Clear)
Ra	90
Size (mm)	264x24x14mm
IP Rate	IP65
Operation Temperature	- 25 ~ 60°C

Outline Dimension (unit mm)



Note: The parameters are subject to change without notice!

SMD2835 Refrigerator/Freezer Light opal



Product Description:

The light source adopts large chip 2835 light source, high brightness, long life, low attenuation;


Using high thermal conductivity aluminum substrate, the best heat dissipation effect;

The surface of the light box light is uniform, no dark area, stripes, light spots;

Product Datasheet

Product Number	B023012BB1LZ(FL)
Operating Voltage	DC12V
Power	1.1W/PCS
SMD Type	SMD 2835
LED Qty	12LEDs/PCS
CCT	3000K/4000K/6500K
Luminance	110lm/W
Beam Angle	120° (Opal)
Ra	90
Size (mm)	252x24x13mm
IP Rate	IP65
Operation Temperature	- 25 ~ 60°C

Outline Dimension (unit mm)



Note: The parameters are subject to change without notice!